

MAP
of
PROPOSED DRAINAGE DISTRICT
LOCATED IN
BUENA VISTA AND SAC COUNTIES
IOWA

Scale: 1 inch = 500 ft
BLANCHÉ TROHEY ET AL - PETITIONERS
Geo. K. McCallough Engineer
Storm Lake, Iowa - October 1911

36-38





Table of Drains


SECTION	SIZE	LENGTH	IN	DEPTH	EST. COST
1	1/2	100	10	10	100
2	1/2	100	10	10	100
3	1/2	100	10	10	100
4	1/2	100	10	10	100
5	1/2	100	10	10	100
6	1/2	100	10	10	100
7	1/2	100	10	10	100
8	1/2	100	10	10	100
9	1/2	100	10	10	100
10	1/2	100	10	10	100
11	1/2	100	10	10	100
12	1/2	100	10	10	100
13	1/2	100	10	10	100
14	1/2	100	10	10	100
15	1/2	100	10	10	100
16	1/2	100	10	10	100
17	1/2	100	10	10	100
18	1/2	100	10	10	100
19	1/2	100	10	10	100
20	1/2	100	10	10	100
21	1/2	100	10	10	100
22	1/2	100	10	10	100
23	1/2	100	10	10	100
24	1/2	100	10	10	100
25	1/2	100	10	10	100
26	1/2	100	10	10	100
27	1/2	100	10	10	100
28	1/2	100	10	10	100
29	1/2	100	10	10	100
30	1/2	100	10	10	100
31	1/2	100	10	10	100
32	1/2	100	10	10	100
33	1/2	100	10	10	100
34	1/2	100	10	10	100
35	1/2	100	10	10	100
36	1/2	100	10	10	100
37	1/2	100	10	10	100
38	1/2	100	10	10	100
39	1/2	100	10	10	100
40	1/2	100	10	10	100
41	1/2	100	10	10	100
42	1/2	100	10	10	100
43	1/2	100	10	10	100
44	1/2	100	10	10	100
45	1/2	100	10	10	100
46	1/2	100	10	10	100
47	1/2	100	10	10	100
48	1/2	100	10	10	100
49	1/2	100	10	10	100
50	1/2	100	10	10	100
51	1/2	100	10	10	100
52	1/2	100	10	10	100
53	1/2	100	10	10	100
54	1/2	100	10	10	100
55	1/2	100	10	10	100
56	1/2	100	10	10	100
57	1/2	100	10	10	100
58	1/2	100	10	10	100
59	1/2	100	10	10	100
60	1/2	100	10	10	100
61	1/2	100	10	10	100
62	1/2	100	10	10	100
63	1/2	100	10	10	100
64	1/2	100	10	10	100
65	1/2	100	10	10	100
66	1/2	100	10	10	100
67	1/2	100	10	10	100
68	1/2	100	10	10	100
69	1/2	100	10	10	100
70	1/2	100	10	10	100
71	1/2	100	10	10	100
72	1/2	100	10	10	100
73	1/2	100	10	10	100
74	1/2	100	10	10	100
75	1/2	100	10	10	100
76	1/2	100	10	10	100
77	1/2	100	10	10	100
78	1/2	100	10	10	100
79	1/2	100	10	10	100
80	1/2	100	10	10	100
81	1/2	100	10	10	100
82	1/2	100	10	10	100
83	1/2	100	10	10	100
84	1/2	100	10	10	100
85	1/2	100	10	10	100
86	1/2	100	10	10	100
87	1/2	100	10	10	100
88	1/2	100	10	10	100
89	1/2	100	10	10	100
90	1/2	100	10	10	100
91	1/2	100	10	10	100
92	1/2	100	10	10	100
93	1/2	100	10	10	100
94	1/2	100	10	10	100
95	1/2	100	10	10	100
96	1/2	100	10	10	100
97	1/2	100	10	10	100
98	1/2	100	10	10	100
99	1/2	100	10	10	100
100	1/2	100	10	10	100



MAP AND PROFILE
OF
OPEN DITCH CLEANOUT AND EXTENSION
DRAINAGE DISTRICT 36-38
SAC AND BUENA VISTA COUNTIES IOWA
JAN 1924 A.H. CUMMINGS, ENGR.

MAP
Scale: 1"=500'

New Ditch : 2400' - 5800 Yds.
Old Ditch : 5400' - 11500 Yds.
Totals : 7800' - 17300 Yds.




PROFILE
Scales: Hor. 1"=400', Vert. 1"=4'

210' - 30" TILE, AV. DEP 740 GR. DEP 1200
14 Cu Yds OF CONCRETE IN 2 BULKHEADS

Note: The tile average shown above includes the
railway embankment and nothing extra will
be paid for going under it.

This tile is located near the center of Section 5-89-36
at the upper end of the open ditch



PROFILE OF COLLECTING TILE

DRAINAGE DISTRICT

36-38

Storm Lake Ia. Dec. 1916.

A.H. Cunningham Engr.